

Bearing Supplies

Norwich

tel: 01603891800

email: sales@bearing-supplies.co.uk

web: www.bearing-supplies.co.uk



PIX
Power Transmission Solutions

Driving growth!

LAWN & GARDEN BELTS
FOR PROFESSIONAL & DOMESTIC MACHINES

20/21





PIX manufacture a dedicated range of belts specifically designed to withstand the rigours of Grass Machinery applications. Such has been the success of these products that PIX is the first choice for many of the “blue chip” manufacturers in the Lawn and Garden industry. With the addition of belts for ‘walk-behind’ (domestic) mowers, the PIX range is undisputedly the most comprehensive range of Lawn & Garden belts available. The range now even includes belts for some smaller machine/construction tools e.g. cement mixers.



Our Lawn and Garden range is comprised of 4 sections:

1. LawnMaster-XS – Standard Sizes
2. Duo-XS Double sided V-Belts (Hexagonal Belts)
3. Duo-XT Double sided Timing Belts
4. LawnMaster - OEM Specific Range

LawnMaster-XS Standard Sizes

The Lawnmaster-XS range of belts are now globally recognised as the leading brand of V-belt for the Turfcare industry. The belts outperform all current competitors that we have encountered and, as such, have become the belts of choice for some of the biggest OEM producers across the globe. Currently, PIX’s portfolio of customers in this area include, Husqvarna, GGP (Castel/Mountfield), Stiga, MTD, Viking, Hayter, Ransomes, Allett, to name just a few.

Constructed from a highly complex compound, developed over many years working with the worlds’ leading manufacturers, the belts feature a layer of large diameter high-tensile cords made of Aramid. This gives the belt a huge resistance to shock loads or stretching. Added to that the belts are double-wrapped with an impregnated ‘dry’ cotton material, making them resilient to ‘wear and tear’, and also making them suitable for ‘clutching’ applications, which rely on the belt slipping without burning.



2. DUO-XS Double sided V-Belts (Hexagonal Belts)

The DUO double-sided belts enable power to be transmitted from both sides of the belt. As such, it is a natural choice for ‘serpentine’ drives such as those found on large mower decks. Uniquely designed with a centrally positioned cord, these belts have excellent flexibility, and are able to perform with complex pulley arrangements.

3. Duo-XT Double sided Timing Belts

Performing a similar function to the Hexagonal belts, and usually found on ‘serpentine’ drives, the timing belt allows the drive to be synchronised or ‘timed’. As such, it is often a suitable alternative to roller chains or gears. These belts are also extremely durable and withstand higher temperatures than the hexagonal option.

4. LawnMaster OEM Specific Range

Over 300 of the most popular belts used in the industry have also been examined and analysed by PIX, to produce this range of products. Essentially, these belts are a ‘replica’ of the originals in almost every respect.

They are designated by the OEM part number with the prefix ‘A-’. Growing exponentially in popularity, these belts offer the most complete solution for distributors/dealers who are looking for an exact match to the original.

This range includes our new offering of domestic lawn and garden belts for the ‘walk behind’-type mower, more commonly found in the home.





3 L SECTION BELTS

Wrapped V-Belts :
 Blue Dry-Cover, Aramid Belts - Standard : RMA IP 23
 Features:

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing
- High resistance to oil, heat, and cracking



USEFUL INFORMATION

MANUFACTURING RANGE :
 406 - 4407mm (La)

WEIGHT PER METRE (KGS):
 0.057

REC. MIN PULLEY DIA.
 39 de (mm)

Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)	
	(inches)	(mm)		(inches)	(mm)		(inches)	(mm)		(inches)	(mm)
DRYB-3L-K-110	11	279	DRYB-3L-K-310	31	787	DRYB-3L-K-470	47	1194	DRYB-3L-K-690	69	1753
DRYB-3L-K-120	12	305	DRYB-3L-K-315	32	800	DRYB-3L-K-480	48	1219	DRYB-3L-K-700	70	1778
DRYB-3L-K-130	13	330	DRYB-3L-K-320	32	813	DRYB-3L-K-490	49	1245	DRYB-3L-K-710	71	1803
DRYB-3L-K-140	14	356	DRYB-3L-K-330	33	838	DRYB-3L-K-500	50	1270	DRYB-3L-K-720	72	1829
DRYB-3L-K-150	15	381	DRYB-3L-K-340	34	864	DRYB-3L-K-510	51	1295	DRYB-3L-K-730	73	1854
DRYB-3L-K-160	16	406	DRYB-3L-K-350	35	889	DRYB-3L-K-520	52	1321	DRYB-3L-K-740	74	1880
DRYB-3L-K-170	17	432	DRYB-3L-K-355	36	902	DRYB-3L-K-530	53	1346	DRYB-3L-K-750	75	1905
DRYB-3L-K-180	18	457	DRYB-3L-K-360	36	914	DRYB-3L-K-540	54	1372	DRYB-3L-K-760	76	1930
DRYB-3L-K-190	19	483	DRYB-3L-K-365	37	927	DRYB-3L-K-550	55	1397	DRYB-3L-K-770	77	1956
DRYB-3L-K-200	20	508	DRYB-3L-K-370	37	940	DRYB-3L-K-560	56	1422	DRYB-3L-K-780	78	1981
DRYB-3L-K-210	21	533	DRYB-3L-K-380	38	965	DRYB-3L-K-570	57	1448	DRYB-3L-K-790	79	2007
DRYB-3L-K-220	22	559	DRYB-3L-K-385	39	978	DRYB-3L-K-580	58	1473			
DRYB-3L-K-230	23	584	DRYB-3L-K-390	39	991	DRYB-3L-K-590	59	1499			
DRYB-3L-K-235	24	597	DRYB-3L-K-400	40	1016	DRYB-3L-K-600	60	1524			
DRYB-3L-K-240	24	610	DRYB-3L-K-405	41	1029	DRYB-3L-K-610	61	1549			
DRYB-3L-K-250	25	635	DRYB-3L-K-410	41	1041	DRYB-3L-K-620	62	1575			
DRYB-3L-K-260	26	660	DRYB-3L-K-415	42	1054	DRYB-3L-K-630	63	1600			
DRYB-3L-K-270	27	686	DRYB-3L-K-420	42	1067	DRYB-3L-K-640	64	1626			
DRYB-3L-K-280	28	711	DRYB-3L-K-430	43	1092	DRYB-3L-K-650	65	1651			
DRYB-3L-K-290	29	737	DRYB-3L-K-440	44	1118	DRYB-3L-K-660	66	1676			
DRYB-3L-K-295	30	749	DRYB-3L-K-450	45	1143	DRYB-3L-K-670	67	1702			
DRYB-3L-K-300	30	762	DRYB-3L-K-460	46	1168	DRYB-3L-K-680	68	1727			





4 L SECTION BELTS

Wrapped V-Belts :
Blue Dry-Cover, Aramid Belts - Standard : RMA IP 23
Features:

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing
- High resistance to oil, heat, and cracking


USEFUL INFORMATION

MANUFACTURING RANGE :
432 - 9119mm (La)

WEIGHT PER METRE (KGS):
0.104

REC. MIN PULLEY DIA.
64 de (mm)

Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)	
	(inches)	(mm)		(inches)	(mm)		(inches)	(mm)		(inches)	(mm)
DRYB-4L-K-170	17	432	DRYB-4L-K-280	28	711	DRYB-4L-K-345	34.5	876	DRYB-4L-K-420	42	1067
DRYB-4L-K-180	18	457	DRYB-4L-K-290	29	737	DRYB-4L-K-350	35	889	DRYB-4L-K-425	42.5	1080
DRYB-4L-K-190	19	483	DRYB-4L-K-295	29.5	749	DRYB-4L-K-355	35.5	902	DRYB-4L-K-430	43	1092
DRYB-4L-K-200	20	508	DRYB-4L-K-300	30	762	DRYB-4L-K-360	36	914	DRYB-4L-K-440	44	1118
DRYB-4L-K-210	21	533	DRYB-4L-K-305	30.5	775	DRYB-4L-K-370	37	940	DRYB-4L-K-450	45	1143
DRYB-4L-K-215	21.5	546	DRYB-4L-K-310	31	787	DRYB-4L-K-375	37.5	953	DRYB-4L-K-455	45.5	1156
DRYB-4L-K-220	22	559	DRYB-4L-K-315	31.5	800	DRYB-4L-K-380	38	965	DRYB-4L-K-460	46	1168
DRYB-4L-K-230	23	584	DRYB-4L-K-320	32	813	DRYB-4L-K-390	39	991	DRYB-4L-K-470	47	1194
DRYB-4L-K-240	24	610	DRYB-4L-K-325	32.5	826	DRYB-4L-K-395	39.5	1003	DRYB-4L-K-480	48	1219
DRYB-4L-K-250	25	635	DRYB-4L-K-330	33	838	DRYB-4L-K-400	40	1016	DRYB-4L-K-490	49	1245
DRYB-4L-K-260	26	660	DRYB-4L-K-335	33.5	851	DRYB-4L-K-405	40.5	1029	DRYB-4L-K-495	49.5	1257
DRYB-4L-K-270	27	686	DRYB-4L-K-340	34	864	DRYB-4L-K-410	41	1041	DRYB-4L-K-500	50	1270
DRYB-4L-K-510	51	1295	DRYB-4L-K-730	73	1854	DRYB-4L-K-920	92	2337	DRYB-4L-K-1160	116	2946
DRYB-4L-K-520	52	1321	DRYB-4L-K-740	74	1880	DRYB-4L-K-925	92.5	2350	DRYB-4L-K-1200	120	3048
DRYB-4L-K-530	53	1346	DRYB-4L-K-750	75	1905	DRYB-4L-K-930	93	2362	DRYB-4L-K-1260	126	3200
DRYB-4L-K-540	54	1372	DRYB-4L-K-760	76	1930	DRYB-4L-K-940	94	2388	DRYB-4L-K-1390	139	3531
DRYB-4L-K-550	55	1397	DRYB-4L-K-770	77	1956	DRYB-4L-K-950	95	2413	DRYB-4L-K-1580	158	4013
DRYB-4L-K-560	56	1422	DRYB-4L-K-780	78	1981	DRYB-4L-K-960	96	2438			
DRYB-4L-K-570	57	1448	DRYB-4L-K-785	78.5	1994	DRYB-4L-K-970	97	2464			
DRYB-4L-K-580	58	1473	DRYB-4L-K-790	79	2007	DRYB-4L-K-980	98	2489			
DRYB-4L-K-590	59	1499	DRYB-4L-K-800	80	2032	DRYB-4L-K-990	99	2515			
DRYB-4L-K-600	60	1524	DRYB-4L-K-810	81	2057	DRYB-4L-K-995	99.5	2527			
DRYB-4L-K-610	61	1549	DRYB-4L-K-820	82	2083	DRYB-4L-K-1000	100	2540			
DRYB-4L-K-620	62	1575	DRYB-4L-K-830	83	2108	DRYB-4L-K-1010	101	2565			
DRYB-4L-K-630	63	1600	DRYB-4L-K-840	84	2134	DRYB-4L-K-1020	102	2591			
DRYB-4L-K-640	64	1626	DRYB-4L-K-850	85	2159	DRYB-4L-K-1030	103	2616			
DRYB-4L-K-650	65	1651	DRYB-4L-K-860	86	2184	DRYB-4L-K-1040	104	2642			
DRYB-4L-K-660	66	1676	DRYB-4L-K-870	87	2210	DRYB-4L-K-1045	104.5	2654			
DRYB-4L-K-665	66.5	1689	DRYB-4L-K-880	88	2235	DRYB-4L-K-1050	105	2667			
DRYB-4L-K-670	67	1702	DRYB-4L-K-885	88.5	2248	DRYB-4L-K-1060	106	2692			
DRYB-4L-K-680	68	1727	DRYB-4L-K-890	89	2261	DRYB-4L-K-1070	107	2718			
DRYB-4L-K-690	69	1753	DRYB-4L-K-895	89.5	2273	DRYB-4L-K-1080	108	2743			
DRYB-4L-K-700	70	1778	DRYB-4L-K-900	90	2286	DRYB-4L-K-1110	111	2819			
DRYB-4L-K-710	71	1803	DRYB-4L-K-905	90.5	2299	DRYB-4L-K-1120	112	2845			
DRYB-4L-K-720	72	1829	DRYB-4L-K-910	91	2311	DRYB-4L-K-1130	113	2870			





5 L SECTION BELTS

Wrapped V-Belts :
 Blue Dry-Cover, Aramid Belts - Standard : RMA IP 23

Features:

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing
- High resistance to oil, heat, and cracking


USEFUL INFORMATION


MANUFACTURING RANGE :
 533 - 5055mm (La)

WEIGHT PER METRE (KGS):
 0.157

REC. MIN PULLEY DIA.
 89 de (mm)

Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)	
	(inches)	(mm)		(inches)	(mm)		(inches)	(mm)		(inches)	(mm)
DRYB-5L-K-230	23	584	DRYB-5L-K-490	49	1245	DRYB-5L-K-760	76	1930	DRYB-5L-K-1030	103	2616
DRYB-5L-K-240	24	610	DRYB-5L-K-500	50	1270	DRYB-5L-K-770	77	1956	DRYB-5L-K-1040	104	2642
DRYB-5L-K-250	25	635	DRYB-5L-K-510	51	1295	DRYB-5L-K-780	78	1981	DRYB-5L-K-1050	105	2667
DRYB-5L-K-260	26	660	DRYB-5L-K-520	52	1321	DRYB-5L-K-790	79	2007	DRYB-5L-K-1060	106	2692
DRYB-5L-K-270	27	686	DRYB-5L-K-530	53	1346	DRYB-5L-K-800	80	2032	DRYB-5L-K-1070	107	2718
DRYB-5L-K-280	28	711	DRYB-5L-K-540	54	1372	DRYB-5L-K-810	81	2057	DRYB-5L-K-1080	108	2743
DRYB-5L-K-290	29	737	DRYB-5L-K-550	55	1397	DRYB-5L-K-820	82	2083	DRYB-5L-K-1090	109	2769
DRYB-5L-K-300	30	762	DRYB-5L-K-560	56	1422	DRYB-5L-K-830	83	2108	DRYB-5L-K-1100	110	2794
DRYB-5L-K-310	31	787	DRYB-5L-K-570	57	1448	DRYB-5L-K-840	84	2134			
DRYB-5L-K-320	32	813	DRYB-5L-K-580	58	1473	DRYB-5L-K-850	85	2159			
DRYB-5L-K-330	33	838	DRYB-5L-K-590	59	1499	DRYB-5L-K-860	86	2184			
DRYB-5L-K-340	34	864	DRYB-5L-K-600	60	1524	DRYB-5L-K-870	87	2210			
DRYB-5L-K-350	35	889	DRYB-5L-K-610	61	1549	DRYB-5L-K-880	88	2235			
DRYB-5L-K-360	36	914	DRYB-5L-K-620	62	1575	DRYB-5L-K-890	89	2261			
DRYB-5L-K-370	37	940	DRYB-5L-K-630	63	1600	DRYB-5L-K-900	90	2286			
DRYB-5L-K-380	38	965	DRYB-5L-K-640	64	1626	DRYB-5L-K-910	91	2311			
DRYB-5L-K-390	39	991	DRYB-5L-K-650	65	1651	DRYB-5L-K-920	92	2337			
DRYB-5L-K-400	40	1016	DRYB-5L-K-660	66	1676	DRYB-5L-K-930	93	2362			
DRYB-5L-K-410	41	1041	DRYB-5L-K-670	67	1702	DRYB-5L-K-940	94	2388			
DRYB-5L-K-415	41.5	1054	DRYB-5L-K-680	68	1727	DRYB-5L-K-950	95	2413			
DRYB-5L-K-420	42	1067	DRYB-5L-K-690	69	1753	DRYB-5L-K-960	96	2438			
DRYB-5L-K-430	43	1092	DRYB-5L-K-700	70	1778	DRYB-5L-K-970	97	2464			
DRYB-5L-K-440	44	1118	DRYB-5L-K-710	71	1803	DRYB-5L-K-980	98	2489			
DRYB-5L-K-450	45	1143	DRYB-5L-K-720	72	1829	DRYB-5L-K-990	99	2515			
DRYB-5L-K-460	46	1168	DRYB-5L-K-730	73	1854	DRYB-5L-K-1000	100	2540			
DRYB-5L-K-470	47	1194	DRYB-5L-K-740	74	1880	DRYB-5L-K-1010	101	2565			
DRYB-5L-K-480	48	1219	DRYB-5L-K-750	75	1905	DRYB-5L-K-1020	102	2591			





SPECIAL LAWN & GARDEN EQUIPMENT - OEM PT.NO.SPECIFIC

In addition to our standard range of Blue Belts, sold by size reference, we also produce a range of special belts which are specifically manufactured to fit many of the most popular Lawn and Garden applications.

These items are easily identifiable with the original manufacturers' references, and match virtually every aspect of the originals in design, construction and performance.

PROFESSIONAL LAWN & GARDEN EQUIPMENT

Belt Ref	To Fit As	Belt Ref	To Fit As	Belt Ref	To Fit As	Belt Ref	To Fit As
A-72066	ARIENS	A-35061426	CASTEL GARDEN	A-IP3010013	IBEA	A-7540281	MTD
A-72080	ARIENS	A-35061501	CASTEL GARDEN	A-IP3010019	IBEA	A-7540325	MTD
A-72086	ARIENS	A-35061980	CASTEL GARDEN	A-IP3010020	IBEA	A-7540327	MTD
A-72108	ARIENS	A-35062000	CASTEL GARDEN	A-IP3010021	IBEA	A-7540328	MTD
A-72112	ARIENS	A-35062001	CASTEL GARDEN	A-IP3010025	IBEA	A-7540329A	MTD
A-72113	ARIENS	A-35062010	CASTEL GARDEN	A-IP3010027	IBEA	A-7540343	MTD
A-72169	ARIENS	A-35062011	CASTEL GARDEN	A-IP3010032	IBEA	A-7540346	MTD
A-72171	ARIENS	A-35062811	CASTEL GARDEN	A-IP3010033	IBEA	A-7540349	MTD
A-3984	AS-MOTOR	A-35062812	CASTEL GARDEN	A-390457	JACOBSON	A-7540355	MTD
A-106085X	AYP	A-35063800	CASTEL GARDEN	A-GX20006	JOHN DEERE	A-7540358	MTD
A-106412X	AYP	A-35063902	CASTEL GARDEN	A-GX20072	JOHN DEERE	A-7540362	MTD
A-106729X	AYP	A-35064100	CASTEL GARDEN	A-M110978	JOHN DEERE	A-7540363	MTD
A-110883	AYP	A-35064150	CASTEL GARDEN	A-M40223	JOHN DEERE	A-7540364	MTD
A-125907X	AYP	A-35064195	CASTEL GARDEN	A-M41668	JOHN DEERE	A-7540369	MTD
A-126520X	AYP	A-35064197	CASTEL GARDEN	A-M44121	JOHN DEERE	A-7540370	MTD
A-130801	AYP	A-35065700	CASTEL GARDEN	A-M44132	JOHN DEERE	A-7540371A	MTD
A-130969	AYP	A-203589A	COMET - Go	A-M74747	JOHN DEERE	A-75404024	MTD
A-131006	AYP		Kart	A-M77997	JOHN DEERE	A-75404038	MTD
A-131264	AYP	A-203791	COMET - Go	A-M82258	JOHN DEERE	A-75404039	MTD
A-131290	AYP		Kart	A-M82538	JOHN DEERE	A-75404052	MTD
A-13567A	AYP	A-7543055	CUB CADET	A-M84136	JOHN DEERE	A-75404062	MTD
A-139573	AYP	A-25632	ETESIA	A-PT12668	JOHN DEERE	A-75404069	MTD
A-140067	AYP	A-25680	ETESIA	A-PT8697	JOHN DEERE	A-75404075	MTD
A-140218X	AYP	A-000.75.863	GUTBROD	PTLA-M74747	JOHN DEERE	A-75404087	MTD
A-140294	AYP	A-219110	HAYTER	A-70000-73986	KUBOTA	A-75404171	MTD
A-141416	AYP	A-4285	HAYTER	A-70080-00271	KUBOTA	A-75404174	MTD
A-144200	AYP	A-4752	HAYTER	A-70722-34710	KUBOTA	A-75404175	MTD
A-158818	AYP	A-4757	HAYTER	A-76353-34710	KUBOTA	A-7540427	MTD
A-38015N	BOBCAT	A-506-2767-43	HUSQVARNA	A-76505-34710	KUBOTA	A-7540433	MTD
A-38017N	BOBCAT	A-531007550	HUSQVARNA	A-00.3091.10	KYNAST	A-7540436	MTD
A-38111	BOBCAT	A-532169178	HUSQVARNA	A-00.3091.41	KYNAST	A-7540439	MTD
A-38212	BOBCAT	A-5835449-01	HUSQVARNA	A-900017010020	MOTEC	A-7540443A	MTD
A-38249	BOBCAT	A-5835819-01	HUSQVARNA	A-754-0125.B	MTD	A-7540444	MTD
A-38440	BOBCAT	A-IP3010011	IBEA	A-754-0626.B	MTD	A-7540445	MTD
A-38442	BOBCAT	A-IP3010012	IBEA	A-754-0629.A	MTD	A-7540453	MTD
A-38523	BOBCAT			A-7540131	MTD	A-7540468	MTD
A-78030N	BOBCAT			A-7540145A	MTD	A-7540470	MTD
A-78031N	BOBCAT			A-7540151	MTD	A-7540474	MTD
A-BAA0070	BOBCAT / RANSOMES						
A-35061400	CASTEL GARDEN						
A-35061403	CASTEL GARDEN						
A-35061406	CASTEL GARDEN						
A-35061424	CASTEL GARDEN						



LAWN & GARDEN

Belt Ref	To Fit As	Belt Ref	To Fit As	Belt Ref	To Fit As	Belt Ref	To Fit As
A-7540754	MTD	A-37X65	MURRAY/ MOUNTFIELD	A-48799	SCAG	A-1134901101	STIGA
A-7543053	MTD	A-37X66	MURRAY/ MOUNTFIELD	A-108505	SIMPLICITY	A-1134901201	STIGA
A-MU690071	MURRAY	A-37X70	MURRAY/ MOUNTFIELD	A-108508	SIMPLICITY	A-1134901301	STIGA
A-100000047	MURRAY/ KNAST	A-37X74	MURRAY/ MOUNTFIELD	A-1657044	SIMPLICITY	A-1134901501	STIGA
A-100000048	MURRAY/ KNAST	A-37X75	MURRAY/ MOUNTFIELD	A-1664789	SIMPLICITY	A-1134901601	STIGA
A-100000049	MURRAY/ KNAST	A-37X81	MURRAY/ MOUNTFIELD	A-1668066	SIMPLICITY	A-1134901701	STIGA
A-100000050	MURRAY/ KNAST	A-37X83	MURRAY/ MOUNTFIELD	A-1670835	SIMPLICITY	A-1134901901	STIGA
A-100000051	MURRAY/ KNAST	A-37X86	MURRAY/ MOUNTFIELD	A-169178	SIMPLICITY	A-1134902001	STIGA
A-100000791	MURRAY/ KNAST	A-37X87	MURRAY/ MOUNTFIELD	A-1703466	SIMPLICITY	A-1134902901	STIGA
A-1001223EB	MURRAY/ KNAST	A-37X88	MURRAY/ MOUNTFIELD	A-1716854	SIMPLICITY	A-1134903101	STIGA
A-37X11	MURRAY/ MOUNTFIELD	A-37X92	MURRAY/ MOUNTFIELD	A-1720036	SIMPLICITY	A-1134908901	STIGA
A-37X12	MURRAY/ MOUNTFIELD	A-37X93	MURRAY/ MOUNTFIELD	A-10749	SNAPPER	A-1621001501	STIGA
A-37X22	MURRAY/ MOUNTFIELD	A-300680	NOMA/ AMF/ DYNAMARK	A-12353	SNAPPER	A-41219585007200	STIGA
A-37X24	MURRAY/ MOUNTFIELD	A-3145	NOMA/ AMF/ DYNAMARK	A-12354	SNAPPER	A-94900007851	STIHL
A-37X26	MURRAY/ MOUNTFIELD	A-43066	NOMA/ AMF/ DYNAMARK	A-14525	SNAPPER	A-HB010043	TIELBURGER
A-37X38	MURRAY/ MOUNTFIELD	A-49878	NOMA/ AMF/ DYNAMARK	A-18236	SNAPPER	A-69-6220	TORO/WHEEL HORSE
A-37X40	MURRAY/ MOUNTFIELD	A-58170	NOMA/ AMF/ DYNAMARK	A-22252	SNAPPER	A-102741	TORO/WHEEL HORSE
A-37X43	MURRAY/ MOUNTFIELD	A-506296702	PARTNER	A-29584	SNAPPER	A-102742	TORO/WHEEL HORSE
A-37X45	MURRAY/ MOUNTFIELD	A-72321	PILOTE	A-43844	SNAPPER	A-210890	TORO/WHEEL HORSE
A-37X46	MURRAY/ MOUNTFIELD	A-13598A	PUBERT	A-76680	SNAPPER		
A-37X49	MURRAY/ MOUNTFIELD	A-MBA4471	RANSOME	A-1111905201	STIGA		
A-37X57	MURRAY/ MOUNTFIELD	A-MBA4472	RANSOME	A-1111905701	STIGA		
A-37X59	MURRAY/ MOUNTFIELD	A-547759	RYAN	A-1111906001	STIGA		
A-37X61	MURRAY/ MOUNTFIELD	A-19220	SABO	A-1134900601	STIGA		
A-37X62	MURRAY/ MOUNTFIELD	A-19227	SABO	A-1134900801	STIGA		
A-37X63	MURRAY/ MOUNTFIELD	A-30447	SABO BELTY	A-1134900901	STIGA		
A-37X64	MURRAY/ MOUNTFIELD	A-48087	SCAG	A-1134901001	STIGA		

DOMESTIC MOWERS + MACHINE/ CONSTRUCTION TOOLS

Belt Ref	To Fit As	Belt Ref	To Fit As	Belt Ref	To Fit As	Belt Ref	To Fit As
A-L08476	ATCO/ QUALCAST	A-L64219	BOSCH/ QUALCAST	A-31208	FLYMO/ ELECTROLUX	A-MX1303	MOUNTFIELD
A-A58729	ATCO/ QUALCAST	A-L63607	BOSCH/ QUALCAST	A-31073	FLYMO/ ELECTROLUX	A-M5340	MOUNTFIELD
A-A58728	ATCO/ QUALCAST	A-L65109	BOSCH/ QUALCAST	A-26882	FLYMO/ ELECTROLUX	A-90099915	BELLE CEMENT MIXER
A-A57941	ATCO/ QUALCAST	A-L65351	BOSCH/ QUALCAST	A-A6071	BLACK & DECKER	A-90099926	BELLE CEMENT MIXER
A-L35337	ATCO/ QUALCAST	A-L66677	BOSCH/ QUALCAST	A-477486	BLACK & DECKER	A-90199912	BELLE CEMENT MIXER
A-L23014	ATCO/ QUALCAST	A-36701	FLYMO/ ELECTROLUX	A-891734	BLACK & DECKER	A-90213300	BELLE CEMENT MIXER
A-L36974	ATCO/ QUALCAST	A-30647	FLYMO/ ELECTROLUX	A-306050	HAYTER	A-MS01	BELLE CEMENT MIXER
A-T47168	ATCO/ QUALCAST	A-30544	FLYMO/ ELECTROLUX	A-219110	HAYTER		
A-T41945	ATCO/ QUALCAST	A-30503	FLYMO/ ELECTROLUX	A-MX737	MOUNTFIELD		
A-T41176	ATCO/ QUALCAST	A-27333	FLYMO/ ELECTROLUX	A-MX1240	MOUNTFIELD		
A-T41175	ATCO/ QUALCAST	A-37872	FLYMO/ ELECTROLUX	A-MX1287	MOUNTFIELD		
A-102358	ATCO/ QUALCAST/ BOSCH	A-31129	FLYMO/ ELECTROLUX	A-MX1293	MOUNTFIELD		



HEXAGONAL BELTS

Wrapped V-Belts : Manufactured in AA, BB, CC & 25

Standard : RMA IP 21

Features:

- Antistatic. Oil & Heat resistant
- Temperature Range: -18°C to +80°C
- Maximum belt linear speed: 30m/sec
- Manufactured to IS-11038 - 1984

CLASSICAL SECTION : AA


USEFUL INFORMATION

MANUFACTURING RANGE :
46 - 254 inches (Li)

WEIGHT PER METRE (kgs):
0.150

REC. MIN PULLEY Dia:
80mm

Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)	
	(inches)	(mm)		(inches)	(mm)		(inches)	(mm)		(inches)	(mm)
AA51	1331	51	AA73	1890	73	AA88	2271	88	AA112	2271	88
AA53	1382	53	AA75	1941	75	AA90	2322	90	AA120	2322	90
AA58	1509	58	AA76	1966	76	AA91	2347	91	AA128	2347	91
AA60	1560	60	AA77	1992	77	AA95	2449	95	AA146	2449	95
AA65	1687	65	AA78	2017	78	AA96	2474	96	AA152	2474	96
AA66	1712	66	AA80	2068	80	AA102	2627	102	AA180	2627	102
AA68	1763	68	AA83	2144	83	AA103	2652	103	AA185	2652	103
AA70	1814	70	AA85	2195	85	AA105	2703	105		2703	105
AA71	1839	71	AA87	2246	87	AA108	2779	108		2779	108



CLASSICAL SECTION : BB


USEFUL INFORMATION

MANUFACTURING RANGE :
40 - 924inches (Li)

WEIGHT PER METRE (kgs):
0.226

REC. MIN PULLEY Dia:
125mm

Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)		Belt Ref	Outside Lenght (La)	
	(inches)	(mm)		(inches)	(mm)		(inches)	(mm)		(inches)	(mm)
BB75	1948	75	BB111	2862	111	BB137	3523	137	BB174	4463	174
BB81	2100	81	BB112	2888	112	BB141	3624	141	BB180	4615	180
BB83	2151	93	BB115	2964	115	BB144	3701	144	BB184	4717	184
BB85	2202	85	BB116	2989	116	BB145	3726	145	BB194	4971	194
BB88	2278	88	BB120	3091	120	BB146	3751	146	BB195	4996	195
BB90	2329	90	BB121	3116	121	BB154	3955	154	BB210	5377	210
BB95	2456	95	BB125	3218	125	BB155	3980	155	BB240	6139	240
BB97	2507	97	BB126	3243	126	BB156	4005	156	BB270	6901	270
BB99	2558	99	BB128	3294	128	BB158	4056	158	BB300	7663	300
	2608	101	BB131	3370	131	BB162	4158	162	BB310	7917	310
BB105	2710	105	BB133	3421	133	BB163	4183	163			
BB108	2786	108	BB135	3472	135	BB173	4437	173			





DOUBLE SIDED TIMING BELT

Features:

- A full range of double-sided timing belts can be produced at the factory.
- Distag market and stock the sizes most commonly found in Lawn & Garden packaging and printing application - See table below.



USEFUL INFORMATION

MANUFACTURING RANGE :
- 512 - 6640 mm (La)

TEMPERATURE RANGE:
-25°C TO +100°C

CERTIFICATIONS:
ISP 13050; ISO 5296; BS 4548

Distag Ref.	Description	Generic Size	Tooth Pitch (mm)	Tooth Height (mm)	Belt Thickness (mm)	Belt Width (mm)	Belt Pitch Lenght (mm)	No. of Teeth each side
TB0720/DS8M-20	Double-Sided Timing Belt	DA-S8M-720-20	8.00	3.05	7.50	20	720	90
TB1600/DS8M-20	Double-Sided Timing Belt	DA-S8M-1600-20	8.00	3.05	7.50	20	1600	200
TB1760/DS8M-20	Double-Sided Timing Belt	DA-S8M-1760-20	8.00	3.05	7.50	20	1760	220
TB1760/DS8M-25	Double-Sided Timing Belt	DA-S8M-1760-25	8.00	3.05	7.50	25	1760	220
TB1800/DS8M-16	Double-Sided Timing Belt	DA-S8M-1800-16	8.00	3.05	7.50	16	1800	225
TB1800/DS8M-25	Double-Sided Timing Belt	DA-S8M-1800-25	8.00	3.05	7.50	25	1800	225
TB2000/DS8M-20	Double-Sided Timing Belt	DA-S8M-2000-20	8.00	3.05	7.50	20	2000	250
TB2000/DS8M-25	Double-Sided Timing Belt	DA-S8M-2000-25	8.00	3.05	7.50	25	2000	250
TB2000/DS8M-30	Double-Sided Timing Belt	DA-S8M-2000-30	8.00	3.05	7.50	30	2000	250
TB2600/DS8M-20	Double-Sided Timing Belt	DA-S8M-2600-20	8.00	3.05	7.50	20	2600	325
TB2800/DS8M-30	Double-Sided Timing Belt	DA-S8M-2800-30	8.00	3.05	7.50	30	2800	350
TB2880/DS8M-30	Double-Sided Timing Belt	DA-S8M-2880-30	8.00	3.05	7.50	30	2880	360